

JACKET MEASUREMENTS

Name _____

☐ MALE ☐ FEMALE Height _____ Weight _____ Age _____

1. Are you a bodybuilder? **NO** ☐ **YES** ☐



2. Are there any existing physical conditions that should be allowed for in the fit of this suit? If Yes, describe.

3. Are you measuring over any braces/armor? If Yes, describe.

4. What brand/model spine pad do you wear?

5. What type of belly do you have?
Please circle the one that best fits you.

FLAT MEDIUM LARGE EXTRA LARGE



RIDING POSITION DRAG RACE

☐ Upright ☐ Race Tuck ☐ Laydown

RIDING POSITION - STREET OR ROAD RACE

☐ Super Sport ☐ 250 GP ☐ Sidecar

HANDLEBAR POSITION - CHECK ONE

☐ Drag Bars ☐ Clip-Ons ☐ Low Rise Bars

☐ RACE TUCK ☐ EXTREME TUCK ☐ LAYDOWN

ATTENTION!

WARNING: If your measurement checks are off, your jacket will not fit correctly. These checks will take much less time than waiting for adjustments to be made. Help us eliminate unnecessary fit issues by providing accurate measurements.

IMPORTANT: Please send us THREE clear full length photos with the measuring device around your waist.
One full frontal, one side profile, one rear with arms at side.

NOTE: Measure your body, then if you are wearing gear (back brace, knee brace, etc. then measure while wearing your brace(s).
Write in any open space with a note describing your gear and anything that will help us provide you with the best fit.

MUST BE WEARING A PAIR OF GOOD FITTING JEANS AND A T-SHIRT!

IF YOU HAVE QUESTIONS CALL 508-678-2000

MAKE SURE USE STRING AT WAIST (VMD)

MEASUREMENTS TAKEN BY:

GUIDE KEY

Check if completed

SECTION A. ____

SECTION B. ____

SECTION C. ____

SECTION E. ____

GUIDE KEY

Specific

SECTION G. ____

SECTION H. ____

REMEMBER !



VMD - WAIST

This is an indicator showing where the elastic band from the Vanson Measuring Device rests (at the navel and parallel with the ground). Put this device on **AFTER** you complete measurement #3.




CHECKERED BOX

This is used when you are doing your second measurement over your armor or brace



100% MADE SOLD AND SERVICED IN THE U.S.A.

WITH CORRECT MEASUREMENTS AND EQUATIONS WE OFFER A 100% GUARANTEED FIT



LEGEND

A. Neck Hollow of neck at the stop of sternum

B. VMD-Waist Waist at navel where you have the VMD - parallel to floor

D. VMD-Waist Back Middle of back where waist and spine meet

E. Nape Of Neck Bone that protrudes from the back of your neck

F. Beltline Front Center of the beltline in front of pants


G. Beltline Back Center of the beltline in back of pants

I. Hips Widest part of hips. Mark on outseam with tape.


M. / N. Shoulder Outermost point of shoulder bone

O. Wrist Outer bone on wrist (pinky side)


SECTION B VERTICAL/HORIZONTAL




SECTION C



SECTION E BELTLINE MEASUREMENTS







SECTION G SHOULDER/SLEEVE



$$\begin{array}{ccccccc}
 \text{46} & \text{M} \rightarrow \text{N} & & \text{\#46 / 2 =} & \text{48} & \text{N} \rightarrow \text{O} & \text{\#47 + \#48 + 1.5'' =} \\
 \boxed{} & & \div 2 & = & \boxed{} & + & \boxed{} + 1.5'' = \\
 \text{ACROSS SHOULDERS} & & & & \text{SLEEVE LENGTH} & & \text{50 NAPE OF NECK TO WRIST} \\
 & & & & \text{End \#46 to wristbone} & & \text{should equal \#28}
 \end{array}$$

SECTION H WOMEN'S MEASUREMENTS



57. DESIRED JACKET LENGTH IN FRONT (Looking in a mirror) From the top of the ribcage determine where you want the bottom of your jacket to stop.

58. DESIRED JACKET LENGTH IN BACK From the nape of the neck determine where you want the bottom of your jacket to stop.

59. CIRCUMFERENCE Take circumference of torso with **57** being the front point of intersection and **58** being the back point of intersection.



Some suggestions on taking good measurements

- 1. Wear a pair of tight fitting jeans (with empty pockets) and a t-shirt.**
- 2. Stand up straight. Look straight ahead, do not look at the person measuring you.**
- 3. Position the elastic VMD belt at the natural waistline (over the navel). After you have taken measurement #3! Be sure the elastic belt is parallel to the floor and that it does not move during the process.**

Take the time to calculate your measurements and compare them. You are allowed 1/2" margin of error on all measurements NO MORE. Please remember that you cannot measure yourself.

THIS IS A TWO PERSON OPERATION!

A few helpful hints for the measurer:

Have the subject look down and it will be easier to locate the vertebrae on the back of the neck. After locating the vertebrae, have them straighten up and look forward before you take the measurement.) Make sure to follow the contours of their body, front & back.

When measuring across the shoulders a good reference (if the shoulder bones are not apparent) is to follow the underarm crease up to the top of the shoulders. You are looking for the upper seam of your arm socket. When you are doing their sleeve length and nape of neck to wrist be sure and use the same reference points.

The hip (#6) measurement is the fullest measurement around their rear.

IMPORTANT:

Please send us THREE clear full length photos while being measured with the measuring device around your waist. One full frontal arms at side, one side profile, one rear.